



### Main

Range	EVlink
Product name	EVlink Wallbox Plus
Product or component type	Charging station
Device short name	EVH3
Poles description	1P + N
Mounting mode	Wall-mounted
Offer type	Integrated RDC-DD
Max power	3.7 kW 16 A
Number of charge point	1
Connection to the vehicle	Socket-outlet T2 right side
Access control system	Key

### Complementary

Rated supply voltage	220...240 V AC 50/60 Hz
Earthing system	IT with the addition of an isolating transformer when required by certain vehicles TT TN-S
Number of inputs	1 1
Input type	Contact for power limitation Contact for delayed charging Digital for dynamic energy management to connect to French electronic electricity meters in single-phase
Control type	1 white button, function: stop/restart 1 green button, function: cable unlocking
Local signalling	1 multi-colour indicator light, function: status indication
Height	480 mm
Width	331.5 mm

Depth	170 mm
Net weight	5.7 kg
Colour	White (RAL 9003) Grey (RAL 7016)
Standards	IEC 61851-1 IEC 61851-22 IEC 62196-1 IEC 62196-2
Product certifications	CE CB

## Environment

IP degree of protection	IP54 conforming to IEC 60529
IK degree of protection	IK10 conforming to IEC 62262
Ambient air temperature for operation	-30...50 °C
Ambient air temperature for storage	-40...80 °C
Relative humidity	5...95 %

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>